



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx UL 19.0065X

Issue No: 0

Certificate history:

Issue No. 0 (2019-06-27)

Status: **Current**

Page 1 of 4

Date of Issue: **2019-06-27**

Applicant: **PIUSI S.p.a.**
Via Antonio Pacinotti 16A
I-46029 Suzzara (MN)
Italy

Equipment: **Electric pumps, EX100 and EX140**

Optional accessory:

Type of Protection: **Flameproof "db", Constructional Safety "h"**

Marking:
Ex db h IIA T4 Gb
-20°C ≤ Ta ≤ +40°C

*Approved for issue on behalf of the IECEx
Certification Body:*

Lucy Frieders

Position:

Staff Engineer

*Signature:
(for printed version)*

Date:

2019-06-27

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

UL LLC
333 Pfingsten Road
Northbrook IL 60062-2096
United States of America





IECEX Certificate of Conformity

Certificate No: IECEX UL 19.0065X Issue No: 0
Date of Issue: **2019-06-27** Page 2 of 4
Manufacturer: **PIUSI S.p.a.**
Via Antonio Pacinotti 16A
I-46029 Suzzara (MN)
Italy

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2017 Edition:7.0	Explosive atmospheres - Part 0: Equipment - General requirements
IEC 60079-1 : 2014-06 Edition:7.0	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
ISO 80079-36 : 2016 Edition:1.0	Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Basic methods and requirements
ISO 80079-37 : 2016 Edition:1.0	Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres - Non electrical type of protection constructional safety "c", control of ignition source "b", liquid immersion "k"

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

[US/UL/ExTR19.0074/00](#)

Quality Assessment Report:

[DE/TPS/QAR18.0005/01](#)



IECEX Certificate of Conformity

Certificate No: IECEx UL 19.0065X

Issue No: 0

Date of Issue: 2019-06-27

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

Electric Pumps model EX100 and EX140 utilised for different combustible hydrocarbon liquids (petrol, diesel and kerosene) with duty type continuous S1.

Electric motor enclosure is made of aluminium and the pump in cast iron.

Please see Annex for additional information.

SPECIFIC CONDITIONS OF USE: YES as shown below:

- The screws class used for the assembly of explosion-proof enclosures must be of quality higher or equal to 8.8 (ISO 898-1).
- Flameproof joints are not intended to be repaired.
- Fluid temperature range shall be from -20°C to +40°C.



IECEX Certificate of Conformity

Certificate No: IECEX UL 19.0065X

Issue No: 0

Date of Issue: 2019-06-27

Page 4 of 4

Additional information:

Annex:

[Annex to IECEX UL 19.0065X Issue 0.pdf](#)



IECEX Certificate of Conformity

Certificate No.: IECEX UL 19.0065X

Issue No.: 0

Page 1 of 2

PARAMETERS RELATING TO THE SAFETY

Type	Supply rating	Current	RPM	Duty
EX100	230V 50Hz	4.5 A	1450	Continuous S1
	230V 60Hz	3.8 A	1750	
	250V 50Hz	4 A	1450	
EX140	230V 50Hz	5 A	1450	
	230V 60Hz	4.5 A	1750	
	250V 50Hz	4 A	1450	

MARKING

		PIUSI Suzzara (MN) Italy	ELECTRIC FUEL PUMP TYPE EX100
DEMKO 19 ATEX 2155 X		Ex db h IIA T4 Gb	L.N.
IECEX UL 19.0065X		Date	
230V 50Hz	4,5 A	1450 rpm	Ta -20° / +40°C
Insulation Class F	Duty CONTINUOUS S1	Q _{max} 100 l/m - P _{max} 1,8 bar	
⚠ WARNING: Automatic thermal protected motor - not open when energized			

		PIUSI Suzzara (MN) Italy	ELECTRIC FUEL PUMP TYPE EX100
DEMKO 19 ATEX 2155 X		Ex db h IIA T4 Gb	L.N.
IECEX UL 19.0065X		Date	
230V 60Hz	3,8 A	1750 rpm	Ta -20° / +40°C
Insulation Class F	Duty CONTINUOUS S1	Q _{max} 100 l/m - P _{max} 1,8 bar	
⚠ WARNING: Automatic thermal protected motor - not open when energized			

		PIUSI Suzzara (MN) Italy	ELECTRIC FUEL PUMP TYPE EX100
DEMKO 19 ATEX 2155 X		Ex db h IIA T4 Gb	L.N.
IECEX UL 19.0065X		Date	
250V 50Hz	4 A	1450 rpm	Ta -20° / +40°C
Insulation Class F	Duty CONTINUOUS S1	Q _{max} 100 l/m - P _{max} 1,8 bar	
⚠ WARNING: Automatic thermal protected motor - not open when energized			



IECEx Certificate of Conformity

Certificate No.: IECEx UL 19.0065X

Issue No.: 0

Page 2 of 2

		PIUSI Suzzara (MN) Italy		ELECTRIC FUEL PUMP TYPE EX140
		Ex db h IIA T4 Gb		L.N.
<input type="checkbox"/>	DEMKO 19 ATEX 2155 X	IECEx UL 19.0065X		Date <input type="checkbox"/>
230V 50Hz	5 A	1450 rpm		Ta -20° / +40°C
Insulation Class F		Duty CONTINUOUS S1		Q,max 140 l/m - Pmax 1,8 bar
⚠ WARNING: Automatic thermal protected motor - not open when energized				

		PIUSI Suzzara (MN) Italy		ELECTRIC FUEL PUMP TYPE EX140
		Ex db h IIA T4 Gb		L.N.
<input type="checkbox"/>	DEMKO 19 ATEX 2155 X	IECEx UL 19.0065X		Date <input type="checkbox"/>
230V 60Hz	4,5 A	1750 rpm		Ta -20° / +40°C
Insulation Class F		Duty CONTINUOUS S1		Q,max 140 l/m - Pmax 1,8 bar
⚠ WARNING: Automatic thermal protected motor - not open when energized				

		PIUSI Suzzara (MN) Italy		ELECTRIC FUEL PUMP TYPE EX140
		Ex db h IIA T4 Gb		L.N.
<input type="checkbox"/>	DEMKO 19 ATEX 2155 X	IECEx UL 19.0065X		Date <input type="checkbox"/>
250V 50Hz	4 A	1450 rpm		Ta -20° / +40°C
Insulation Class F		Duty CONTINUOUS S1		Q,max 140 l/m - Pmax 1,8 bar
⚠ WARNING: Automatic thermal protected motor - not open when energized				

⚠ WARNING ⚠
DO NOT OPEN WHEN AN
EXPLOSIVE ATMOSPHERE IS
PRESENT
SEE INSTALLATION
INSTRUCTION DOCUMENT

WARNING : DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
SEE INSTALLATION INSTRUCTION DOCUMENT